

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS.
RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
ALL RACES 1/ —					
All causes	27,960 688.9	18,733 461.5	14,893 366.9	3,841 94.6	9,227 227.3
Certain infectious and parasitic diseases (A00-B99)	507 12.5	62 1.5	11 *	50 1.2	445 11.0
Certain intestinal infectious diseases (A00-A08)	15 *	- -	- -	- -	15 *
Diarrhea and gastroenteritis of presumed infectious origin (A09)	1 *	- -	- -	- -	1 *
Tuberculosis (A16-A19)	1 *	- -	- -	- -	1 *
Tetanus (A33-A35)	- -	- -	- -	- -	- -
Diphtheria (A36)	- -	- -	- -	- -	- -
Whooping cough (A37)	12 *	5 *	- -	5 *	7 *
Meningococcal infection (A39)	20 .5	- -	- -	- -	20 .5
Septicemia (A40-A41)	275 6.8	1 *	1 *	- -	274 6.7
Congenital syphilis (A50)	1 *	1 *	1 *	- -	- -
Gonococcal infection A(54)	- -	- -	- -	- -	- -
Viral diseases (A80-B34)	110 2.7	35 .9	8 *	27 .7	75 1.8
Acute poliomyelitis (A80)	- -	- -	- -	- -	- -

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS.
RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
ALL RACES 1/ —					
Varicella (chickenpox) (B01)	1 *	- -	- -	- -	1 *
Measles (B05)	1 *	- -	- -	- -	1 *
Human immunodeficiency virus (HIV) disease (B20-B24)	10 *	1 *	1 *	- -	9 *
Mumps (B26)	- -	- -	- -	- -	- -
Other and unspecified viral diseases (A81-B00,B02-B04,B06-B19, B25,B27-B34)	98 2.4	34 .8	7 *	27 .7	64 1.6
Candidiasis (B37)	24 .6	- -	- -	- -	24 .6
Malaria (B50-B54)	- -	- -	- -	- -	- -
Pneumocystosis(B59)	3 *	- -	- -	- -	3 *
All other and unspecified infectious and parasitic diseases (A20-A32,A38,A42-A49,A51-A53,A55-A79,B35-B36,B38-B49,B55-B58, B60-B99)	45 1.1	19 *	1 *	18 *	25 .6
Neoplasms (C00-D48)	149 3.7	38 .9	26 .6	12 *	111 2.7
Malignant neoplasms (C00-C97)	90 2.2	10 *	5 *	5 *	80 2.0
Hodgkin's disease and non-Hodgkin's lymphomas (C81-C85)	1 *	1 *	1 *	- -	- -
Leukemia (C91-C95)	38 .9	1 *	- -	1 *	37 .9

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS.
RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
ALL RACES 1/ —					
Other and unspecified malignant neoplasms (C00-C80,C88,C90,C96-C97)	51 1.2	8 *	4 *	4 *	42 1.0
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	59 1.5	28 .7	20 .5	7 *	31 .8
Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)	70 1.7	14 *	7 *	7 *	56 1.4
Anemias (D50-D64)	10 *	2 *	1 *	1 *	8 *
Hemorrhagic conditions and other diseases of blood and blood-forming organs (D65-D76)	41 1.0	10 *	6 *	4 *	31 .8
Certain disorders involving the immune mechanism (D80-D89)	18 *	2 *	- -	2 *	16 *
Endocrine, nutritional and metabolic diseases (E00-E88)	259 6.4	108 2.7	77 1.9	31 .8	151 3.7
Short stature, not elsewhere classified (E34.3)	23 .6	21 .5	19 *	2 *	2 *
Nutritional deficiencies(E40-E64)	13 *	- -	- -	- -	13 *
Cystic fibrosis (E84)	4 *	2 *	1 *	1 *	2 *
Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)	74 1.8	37 .9	35 .9	2 *	37 .9
All other endocrine, nutritional and metabolic diseases (E00-E32,E34.0-E34.2,E34.4-E34.9,E65-E83,E85,E88)	145 3.6	49 1.2	22 .6	26 .6	96 2.4

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
ALL RACES 1/ —					
Diseases of the nervous system (G00-G98)	385 9.5	63 1.5	23 .6	39 1.0	322 7.9
Meningitis (G00,G03)	92 2.3	12 *	1 *	11 *	80 2.0
Infantile spinal muscular atrophy, type I (Werdnig-Hoffman) (G12.0)	33 .8	3 *	- -	3 *	30 .7
Infantile cerebral palsy (G80)	9 *	- -	- -	- -	9 *
Anoxic brain damage, not elsewhere classified (G93.1)	34 .8	- -	- -	- -	34 .8
Other diseases of nervous system (G04,G06-G11,G12.1-G12.9,G20-G72 G81-G92,G93.0,G93.2-G93.9,G95-G98)	216 5.3	48 1.2	22 .6	25 .6	169 4.2
Diseases of the ear and mastoid process (H60-H93)	6 *	1 *	1 *	- -	5 *
Diseases of the circulatory system (I00-I99)	658 16.2	251 6.2	140 3.4	111 2.7	407 10.0
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)	185 4.6	126 3.1	73 1.8	52 1.3	60 1.5
Pericarditis, endocarditis and myocarditis (I30,I33,I40)	15 *	2 *	- -	2 *	13 *
Cardiomyopathy (I42)	116 2.9	41 1.0	22 .5	19 *	76 1.9
Cardic arrest (I46)	29 .7	1 *	1 *	- -	28 .7
Cerebrovascular diseases (I60-I69)	119 2.9	19 *	13 *	6 *	100 2.5

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS.
RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
ALL RACES 1/ —					
All other diseases of circulatory system (I00-I25,I31,I34-I38, I44-I45,I47-I51,I70-I99)	192 4.7	62 1.5	31 .8	31 .8	130 3.2
Diseases of the respiratory system (J00-J98)	650 16.0	55 1.3	21 .5	33 .8	595 14.7
Acute upper respiratory infections (J00-J06)	6 *	- -	- -	- -	6 *
Influenza and pneumonia (J10-J18)	288 7.1	28 .7	7 *	21 .5	259 6.4
Influenza (J10-J11)	8 *	1 *	1 *	- -	7 *
Pneumonia (J12-J18)	280 6.9	27 .7	6 *	21 .5	252 6.2
Acute bronchitis and acute bronchiolitis (J20-J21)	41 1.0	- -	- -	- -	41 1.0
Bronchitis, chronic and unspecified (J40-J42)	18 *	1 *	1 *	- -	17 *
Asthma (J45-J46)	8 *	- -	- -	- -	8 *
Pneumonitis due to solids and liquids (J69)	9 *	- -	- -	- -	9 *
Other and unspecified diseases of respiratory system (J22,J30-J39, J43-J44,J47-J68,J70-J98)	280 6.9	25 .6	13 *	12 *	254 6.3
Diseases of the digestive system (K00-K92)	499 12.3	95 2.3	40 1.0	55 1.4	404 10.0
Gastritis, duodenitis, and noninfective enteritis and colitis (K29,K50-K55)	239 5.9	23 .6	3 *	20 .5	216 5.3

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
ALL RACES 1/ —					
Hernia of abdominal cavity and intestinal obstruction without hernia (K40-K46, K56)	72 1.8	29 .7	23 .6	6 *	43 1.1
All other and unspecified diseases of digestive sytem (K00-K28, K30-K38,K57-K92)	188 4.6	43 1.1	14 *	29 .7	145 3.6
Diseases of the genitourinary system (N00-N98)	192 4.7	113 2.8	54 1.3	59 1.5	79 1.9
Renal failure and other disorders of kidney (N17-N19,N25,N27)	154 3.8	96 2.4	39 .9	57 1.4	59 1.4
Other and unspecified diseases of genitourianry system (N00-N15, N20-N23,N26,N28-N98)	37 .9	17 *	15 *	2 *	20 .5
Certain conditions originating in the perinatal period (P00-P96)	13,889 342.2	13,174 324.6	11,082 273.0	2,091 51.5	716 17.6
Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)	2,729 67.2	2,693 66.3	2,617 64.5	76 1.9	36 .9
Newborn affected by maternal hypertensive disorders (P00.0)	59 1.5	57 1.4	54 1.3	3 *	2 *
Newborn affected by other maternal conditions which may be unrelated to present pregnancy (P00.1-P00.9)	69 1.7	63 1.6	54 1.3	9 *	6 *
Newborn affected by maternal complications of pregnancy (P01)	1,391 34.3	1,379 34.0	1,363 33.6	16 *	11 *
Newborn affected by incompetent cervix (P01.0)	406 10.0	405 10.0	404 9.9	1 *	1 *
Newborn affected by premature rupture of membranes (P01.1)	598 14.7	597 14.7	589 14.5	8 *	1 *

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
ALL RACES 1/ —					
Newborn affected by multiple pregnancy (P01.5)	226 5.6	218 5.4	213 5.3	5 *	8 *
Newborn affected by other maternal complications of pregnancy (P01.2-P01.4,P01.6-P01.9)	160 3.9	159 3.9	157 3.9	2 *	1 *
Newborn affected by complications of placenta, cord and membranes (P02)	1,042 25.7	1,027 25.3	990 24.4	37 .9	14 *
Newborn affected by complications involving placenta (P02.0-P02.3)	543 13.4	535 13.2	511 12.6	24 .6	8 *
Newborn affected by complications involving cord (P02.4-P02.6)	51 1.2	47 1.1	40 1.0	7 *	4 *
Newborn affected by chorioamnionitis (P02.7)	445 11.0	443 10.9	436 10.8	6 *	2 *
Newborn affected by other and unspecified abnormalities of membranes (P02.8-P02.9)	3 *	3 *	3 *	- -	- -
Newborn affected by other complications of labor and delivery (P03)	130 3.2	129 3.2	123 3.0	6 *	1 *
Newborn affected by noxious influences transmitted via placenta or breast milk (P04)	39 1.0	37 .9	32 .8	5 *	2 *
Disorders related to length of gestation and fetal malnutrition (P05-P08)	4,476 110.3	4,388 108.1	4,251 104.7	137 3.4	88 2.2
Slow fetal growth and fetal malnutrition (P05)	73 1.8	62 1.5	51 1.3	11 *	11 *

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
ALL RACES 1/ —					
Disorders related to short gestation and low birth weight, not elsewhere classified (P07)	4,401 108.4	4,323 106.5	4,198 103.4	126 3.1	77 1.9
Extremely low birth weight or extreme immaturity (P07.0,P07.2)	3,293 81.1	3,253 80.2	3,162 77.9	91 2.2	39 1.0
Other low birth weight or preterm (P07.1,P07.3)	1,108 27.3	1,070 26.4	1,035 25.5	35 .9	38 .9
Disorders related to long gestation and high birth weight (P08)	2 *	2 *	2 *	- -	- -
Birth trauma (P10-P15)	30 .7	25 .6	16 *	9 *	5 *
Intrauterine hypoxia and birth asphyxia (P20-P21)	625 15.4	583 14.4	422 10.4	161 4.0	42 1.0
Intrauterine hypoxia (P20)	110 2.7	105 2.6	83 2.0	22 .5	5 *
Birth asphyxia (P21)	515 12.7	478 11.8	339 8.4	139 3.4	37 .9
Respiratory distress of newborn (P22)	1,007 24.8	936 23.1	742 18.3	194 4.8	71 1.7
Other respiratory conditions originating in the perinatal period (P23-P28)	1,533 37.8	1,240 30.5	953 23.5	287 7.1	294 7.2
Congenital pneumonia (P23)	88 2.2	76 1.9	31 .8	45 1.1	12 *
Neonatal aspiration syndromes (P24)	61 1.5	56 1.4	50 1.2	6 *	5 *
Interstitial emphysema and related conditons originating in the perinatal period (P25)	231 5.7	227 5.6	142 3.5	85 2.1	4 *

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
ALL RACES 1/ —					
Pulmonary hemorrhage originating in the perinatal period (P26)	287 7.1	284 7.0	227 5.6	57 1.4	3 *
Chronic respiratory disease originating in the perinatal period (P27)	295 7.3	47 1.2	3 *	44 1.1	247 6.1
Atelectasis (P28.0-P28.1)	498 12.3	484 11.9	451 11.1	33 .8	14 *
All other respiratory conditions originating in the perinatal period (P28.2-P28.9)	73 1.8	65 1.6	50 1.2	15 *	8 *
Infections specific to the perinatal period (P35-P39)	930 22.9	877 21.6	383 9.4	494 12.2	53 1.3
Bacterial sepsis of newborn (P36)	774 19.1	741 18.3	336 8.3	405 10.0	32 .8
Omphalitis of newborn with or without mild hemorrhage (P38)	3 *	3 *	- -	3 *	- -
All other infections specific to the perinatal period (P35,P37,P39)	153 3.8	132 3.3	46 1.1	86 2.1	21 .5
Hemorrhagic and hematological disorders of newborn (P50-P61)	704 17.3	687 16.9	481 11.8	206 5.1	17 *
Neonatal hemorrhage (P50-P52,P54)	577 14.2	562 13.9	400 9.9	162 4.0	15 *
Hemorrhagic disease of newborn (P53)	1 *	1 *	- -	1 *	- -
Hemolytic disease of newborn due to isoimmunization and other perinatal jaundice (P55-P59)	17 *	15 *	14 *	1 *	2 *

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
ALL RACES 1/ —					
Hemotologic disorders (P60-P61)	109 2.7	109 2.7	66 1.6	42 1.0	- -
Syndrome of infant of a diabetic mother and neonatal diabetes mellitus (P70.0-P70.2)	9 *	8 *	7 *	1 *	1 *
Necrotizing enterocolitis of newborn (P77)	371 9.1	315 7.8	42 1.0	272 6.7	56 1.4
Hydrops fetalis not due to hemolytic disease (P83.2)	164 4.0	159 3.9	131 3.2	27 .7	5 *
Other perinatal conditions (P29,P70.3-P70.9,P71-P76,P78-P81, P83.0-P83.1,P83.3-P83.9,P90-P96)	1,310 32.3	1,264 31.1	1,037 25.6	227 5.6	46 1.1
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	5,756 141.8	4,170 102.7	3,185 78.5	985 24.3	1,587 39.1
Anencephaly and similar malformations (Q00)	326 8.0	319 7.8	307 7.6	11 *	7 *
Congenital hydrocephalus (Q03)	95 2.3	57 1.4	44 1.1	13 *	38 .9
Spina bifida (Q05)	26 .6	19 *	17 *	2 *	7 *
Other congenital malformations of nervous system (Q01-Q02,Q04, Q06-Q07)	312 7.7	185 4.5	137 3.4	47 1.2	127 3.1
Congenital malformations of heart (Q20-Q24)	1,639 40.4	940 23.2	459 11.3	481 11.8	699 17.2
Other congenital malformations of circulatory system (Q25-Q28)	207 5.1	132 3.2	69 1.7	62 1.5	75 1.8
Congenital malformations of respiratory system (Q30-Q34)	694 17.1	633 15.6	591 14.6	42 1.0	61 1.5

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS.
RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
ALL RACES 1/ —					
Congenital malformations of digestive system (Q35-Q45)	81 2.0	27 .7	16 *	11 *	53 1.3
Congenital malformations of genitourinary system (Q50-Q64)	330 8.1	311 7.7	300 7.4	11 *	18 *
Congenital malformations and deformations of musculoskeletal system, limbs and integument (Q65-Q85)	448 11.0	334 8.2	256 6.3	79 1.9	114 2.8
Down's syndrome (Q90)	91 2.3	57 1.4	48 1.2	9 *	34 .8
Edward's syndrome (Q91.0-Q91.3)	479 11.8	348 8.6	265 6.5	84 2.1	130 3.2
Patau's syndrome (Q91.4-Q91.7)	291 7.2	245 6.0	196 4.8	49 1.2	45 1.1
Other congenital malformations and deformations (Q10-Q18,Q86-Q89)	583 14.4	445 11.0	387 9.5	58 1.4	139 3.4
Other chromosomal abnormalities, not elsewhere classified (Q92-Q99)	155 3.8	117 2.9	92 2.3	25 .6	38 .9
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	3,619 89.2	443 10.9	164 4.0	279 6.9	3,176 78.2
Sudden infant death syndrome (R95)	2,522 62.1	198 4.9	29 .7	169 4.2	2,324 57.3
Other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94,R96-R99)	1,096 27.0	244 6.0	134 3.3	110 2.7	852 21.0
All other diseases (Residual)	30 .7	18 *	12 *	6 *	12 *

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
ALL RACES 1/ —					
External causes of mortality (V01-Y84)	1,292 31.8	130 3.2	50 1.2	81 2.0	1,162 28.6
Accidents (unintentional injuries) (V01-X59)	876 21.6	92 2.3	28 .7	63 1.6	784 19.3
Transport accidents (V01-V99)	170 4.2	16 *	8 *	8 *	153 3.8
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14, V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-v81.1, V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0-V89.2)	163 4.0	16 *	8 *	8 *	147 3.6
Other and unspecified transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3, V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9, V87.9,V88.9,V89.1,V89.3,V89.9,V90-V99)	6 *	- -	- -	- -	6 *
Falls (W00-W19)	8 *	- -	- -	- -	8 *
Accidental discharge of firearms (W32-W34)	1 *	- -	- -	- -	1 *
Accidental drowning and submersion (W65-W74)	76 1.9	1 *	- -	1 *	75 1.8
Accidental suffocation and strangulation in bed (W75)	267 6.6	39 1.0	5 *	34 .8	227 5.6
Other accidental suffocation and strangulation (W76-W77,W81-W84)	182 4.5	17 *	8 *	9 *	165 4.1
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)	77 1.9	5 *	2 *	3 *	72 1.8

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS.
RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
ALL RACES 1/ —					
Accidents caused by exposure to smoke fire and flames (X00-X99)	36 .9	- -	- -	- -	36 .9
Accidental poisoning and exposure to noxious substances (X40-X49)	13 *	2 *	- -	2 *	11 *
Other and unspecified accidents (W20-W31,W35-W64,W85-W99,X10-X39 X50-X59)	47 1.1	11 *	5 *	6 *	35 .9
Assault (homicide) (X85-Y09)	335 8.3	28 .7	17 *	11 *	307 7.6
Assault (homicide) by hanging, strangulation and suffocation (X91)	23 .6	5 *	3 *	2 *	18 *
Assault (homicide) by discharge of firearms (X93-X95)	12 *	1 *	1 *	- -	11 *
Neglect, abandonment and other maltreatment syndromes (Y06-Y07)	125 3.1	11 *	5 *	6 *	114 2.8
Assault (homicide) by other and unspecified means (X85-X90,X92,X96-X99,Y00-Y05,Y08-Y09)	175 4.3	11 *	8 *	3 *	164 4.0
Complications of medical and surgical care (Y40-Y84)	18 *	7 *	2 *	5 *	11 *
Other external causes (X60-X84,Y10-Y36)	63 1.6	3 *	2 *	1 *	60 1.5

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS.
RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
WHITE					
All causes	18,246 571.3	12,179 381.3	9,614 301.0	2,565 80.3	6,067 189.9
Certain infectious and parasitic diseases (A00-B99)	318 10.0	42 1.3	6 *	36 1.1	276 8.6
Certain intestinal infectious diseases (A00-A08)	9 *	- -	- -	- -	9 *
Diarrhea and gastroenteritis of presumed infectious origin (A09)	- -	- -	- -	- -	- -
Tuberculosis (A16-A19)	1 *	- -	- -	- -	1 *
Tetanus (A33-A35)	- -	- -	- -	- -	- -
Diphtheria (A36)	- -	- -	- -	- -	- -
Whooping cough (A37)	11 *	5 *	- -	5 *	6 *
Meningococcal infection (A39)	17 *	- -	- -	- -	17 *
Septicemia (A40-A41)	173 5.4	- -	- -	- -	173 5.4
Congenital syphilis (A50)	- -	- -	- -	- -	- -
Gonococcal infection A(54)	- -	- -	- -	- -	- -
Viral diseases (A80-B34)	65 2.0	21 .7	5 *	16 *	43 1.4
Acute poliomyelitis (A80)	- -	- -	- -	- -	- -

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
WHITE					
Varicella (chickenpox) (B01)	1 *	- -	- -	- -	1 *
Measles (B05)	1 *	- -	- -	- -	1 *
Human immunodeficiency virus (HIV) disease (B20-B24)	2 *	- -	- -	- -	2 *
Mumps (B26)	- -	- -	- -	- -	- -
Other and unspecified viral diseases (A81-B00,B02-B04,B06-B19, B25,B27-B34)	61 1.9	21 .7	5 *	16 *	39 1.2
Candidiasis (B37)	12 *	- -	- -	- -	12 *
Malaria (B50-B54)	- -	- -	- -	- -	- -
Pneumocystosis(B59)	1 *	- -	- -	- -	1 *
All other and unspecified infectious and parasitic diseases (A20-A32,A38,A42-A49,A51-A53,A55-A79,B35-B36,B38-B49,B55-B58, B60-B99)	29 .9	16 *	1 *	15 *	13 *
Neoplasms (C00-D48)	119 3.7	31 1.0	19 *	11 *	89 2.8
Malignant neoplasms (C00-C97)	77 2.4	7 *	2 *	5 *	70 2.2
Hodgkin's disease and non-Hodgkin's lymphomas (C81-C85)	- -	- -	- -	- -	- -
Leukemia (C91-C95)	36 1.1	1 *	- -	1 *	35 1.1

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
WHITE					
Other and unspecified malignant neoplasms (C00-C80,C88,C90,C96-C97)	40 1.3	6 *	2 *	4 *	34 1.1
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	43 1.3	23 .7	17 *	6 *	19 *
Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)	52 1.6	11 *	6 *	5 *	40 1.3
Anemias (D50-D64)	6 *	1 *	- -	1 *	5 *
Hemorrhagic conditions and other diseases of blood and blood-forming organs (D65-D76)	33 1.0	9 *	6 *	3 *	24 .8
Certain disorders involving the immune mechanism (D80-D89)	12 *	1 *	- -	1 *	11 *
Endocrine, nutritional and metabolic diseases (E00-E88)	183 5.7	81 2.5	57 1.8	24 .8	102 3.2
Short stature, not elsewhere classified (E34.3)	15 *	14 *	13 *	1 *	1 *
Nutritional deficiencies(E40-E64)	8 *	- -	- -	- -	8 *
Cystic fibrosis (E84)	4 *	2 *	1 *	1 *	2 *
Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)	40 1.3	23 .7	21 .7	2 *	17 *
All other endocrine, nutritional and metabolic diseases (E00-E32,E34.0-E34.2,E34.4-E34.9,E65-E83,E85,E88)	115 3.6	41 1.3	21 .7	20 .6	74 2.3

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
WHITE					
Diseases of the nervous system (G00-G98)	283 8.9	52 1.6	19 *	32 1.0	231 7.2
Meningitis (G00,G03)	56 1.8	10 *	1 *	9 *	46 1.5
Infantile spinal muscular atrophy, type I (Werdnig-Hoffman) (G12.0)	29 .9	3 *	- -	3 *	26 .8
Infantile cerebral palsy (G80)	8 *	- -	- -	- -	8 *
Anoxic brain damage, not elsewhere classified (G93.1)	25 .8	- -	- -	- -	25 .8
Other diseases of nervous system (G04,G06-G11,G12.1-G12.9,G20-G72 G81-G92,G93.0,G93.2-G93.9,G95-G98)	164 5.1	38 1.2	18 *	20 .6	125 3.9
Diseases of the ear and mastoid process (H60-H93)	3 *	- -	- -	- -	3 *
Diseases of the circulatory system (I00-I99)	446 14.0	173 5.4	97 3.0	76 2.4	274 8.6
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)	119 3.7	81 2.5	50 1.6	31 1.0	38 1.2
Pericarditis, endocarditis and myocarditis (I30,I33,I40)	5 *	1 *	- -	1 *	4 *
Cardiomyopathy (I42)	88 2.8	33 1.0	18 *	15 *	56 1.7
Cardiac arrest (I46)	23 .7	1 *	1 *	- -	22 .7
Cerebrovascular diseases (I60-I69)	71 2.2	13 *	8 *	5 *	58 1.8

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
WHITE					
All other diseases of circulatory system (I00-I25,I31,I34-I38, I44-I45,I47-I51,I70-I99)	140 4.4	44 1.4	20 .6	23 .7	96 3.0
Diseases of the respiratory system (J00-J98)	405 12.7	29 .9	12 *	17 *	376 11.8
Acute upper respiratory infections (J00-J06)	5 *	- -	- -	- -	5 *
Influenza and pneumonia (J10-J18)	172 5.4	16 *	5 *	11 *	156 4.9
Influenza (J10-J11)	7 *	1 *	1 *	- -	6 *
Pneumonia (J12-J18)	165 5.2	15 *	4 *	11 *	150 4.7
Acute bronchitis and acute bronchiolitis (J20-J21)	27 .9	- -	- -	- -	27 .9
Bronchitis, chronic and unspecified (J40-J42)	9 *	- -	- -	- -	9 *
Asthma (J45-J46)	5 *	- -	- -	- -	5 *
Pneumonitis due to solids and liquids (J69)	8 *	- -	- -	- -	8 *
Other and unspecified diseases of respiratory system (J22,J30-J39, J43-J44,J47-J68,J70-J98)	179 5.6	13 *	7 *	6 *	166 5.2
Diseases of the digestive system (K00-K92)	296 9.3	61 1.9	33 1.0	28 .9	234 7.3
Gastritis, duodenitis, and noninfective enteritis and colitis (K29,K50-K55)	122 3.8	11 *	3 *	8 *	111 3.5

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
WHITE					
Hernia of abdominal cavity and intestinal obstruction without hernia (K40-K46, K56)	53 1.7	22 .7	17 *	5 *	30 .9
All other and unspecified diseases of digestive sytem (K00-K28, K30-K38,K57-K92)	121 3.8	27 .9	12 *	15 *	93 2.9
Diseases of the genitourinary system (N00-N98)	112 3.5	66 2.1	33 1.0	32 1.0	46 1.5
Renal failure and other disorders of kidney (N17-N19,N25,N27)	86 2.7	54 1.7	22 .7	31 1.0	32 1.0
Other and unspecified diseases of genitourianry system (N00-N15, N20-N23,N26,N28-N98)	26 .8	12 *	11 *	1 *	14 *
Certain conditions originating in the perinatal period (P00-P96)	8,414 263.4	7,990 250.1	6,679 209.1	1,311 41.0	425 13.3
Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)	1,744 54.6	1,724 54.0	1,677 52.5	47 1.5	19 *
Newborn affected by maternal hypertensive disorders (P00.0)	37 1.1	36 1.1	36 1.1	- -	1 *
Newborn affected by other maternal conditions which may be unrelated to present pregnancy (P00.1-P00.9)	47 1.5	44 1.4	38 1.2	6 *	3 *
Newborn affected by maternal complications of pregnancy (P01)	834 26.1	828 25.9	820 25.7	8 *	6 *
Newborn affected by incompetent cervix (P01.0)	227 7.1	227 7.1	227 7.1	- -	- -
Newborn affected by premature rupture of membranes (P01.1)	344 10.8	344 10.8	341 10.7	3 *	- -

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
WHITE					
Newborn affected by multiple pregnancy (P01.5)	165 5.2	159 5.0	154 4.8	5 *	6 *
Newborn affected by other maternal complications of pregnancy (P01.2-P01.4,P01.6-P01.9)	97 3.1	97 3.1	97 3.1	- -	- -
Newborn affected by complications of placenta, cord and membranes (P02)	712 22.3	705 22.1	680 21.3	25 .8	7 *
Newborn affected by complications involving placenta (P02.0-P02.3)	403 12.6	398 12.4	378 11.8	19 *	5 *
Newborn affected by complications involving cord (P02.4-P02.6)	36 1.1	34 1.1	29 .9	5 *	2 *
Newborn affected by chorioamnionitis (P02.7)	271 8.5	271 8.5	270 8.5	1 *	- -
Newborn affected by other and unspecified abnormalities of membranes (P02.8-P02.9)	2 *	2 *	2 *	- -	- -
Newborn affected by other complications of labor and delivery (P03)	94 2.9	93 2.9	89 2.8	4 *	1 *
Newborn affected by noxious influences transmitted via placenta or breast milk (P04)	20 .6	19 *	15 *	4 *	1 *
Disorders related to length of gestation and fetal malnutrition (P05-P08)	2,437 76.3	2,382 74.6	2,298 72.0	84 2.6	55 1.7
Slow fetal growth and fetal malnutrition (P05)	52 1.6	43 1.3	37 1.1	6 *	9 *

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
WHITE					
Disorders related to short gestation and low birth weight, not elsewhere classified (P07)	2,386 74.7	2,340 73.2	2,261 70.8	78 2.4	46 1.4
Extremely low birth weight or extreme immaturity (P07.0,P07.2)	1,741 54.5	1,718 53.8	1,662 52.0	57 1.8	23 .7
Other low birth weight or preterm (P07.1,P07.3)	644 20.2	621 19.5	600 18.8	21 .7	23 .7
Disorders related to long gestation and high birth weight (P08)	- -	- -	- -	- -	- -
Birth trauma (P10-P15)	19 *	18 *	12 *	6 *	1 *
Intrauterine hypoxia and birth asphyxia (P20-P21)	436 13.7	408 12.8	297 9.3	111 3.5	28 .9
Intrauterine hypoxia (P20)	73 2.3	70 2.2	59 1.9	11 *	3 *
Birth asphyxia (P21)	363 11.4	337 10.6	238 7.4	100 3.1	25 .8
Respiratory distress of newborn (P22)	626 19.6	578 18.1	456 14.3	122 3.8	48 1.5
Other respiratory conditions originating in the perinatal period (P23-P28)	970 30.4	800 25.0	622 19.5	178 5.6	170 5.3
Congenital pneumonia (P23)	51 1.6	42 1.3	17 *	25 .8	8 *
Neonatal aspiration syndromes (P24)	37 1.1	34 1.1	31 1.0	3 *	3 *
Interstitial emphysema and related conditons originating in the perinatal period (P25)	142 4.4	139 4.4	89 2.8	50 1.6	3 *

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
WHITE					
Pulmonary hemorrhage originating in the perinatal period (P26)	176 5.5	175 5.5	141 4.4	34 1.1	1 *
Chronic respiratory disease originating in the perinatal period (P27)	173 5.4	32 1.0	1 *	31 1.0	141 4.4
Atelectasis (P28.0-P28.1)	348 10.9	338 10.6	316 9.9	22 .7	10 *
All other respiratory conditions originating in the perinatal period (P28.2-P28.9)	43 1.4	39 1.2	27 .9	12 *	4 *
Infections specific to the perinatal period (P35-P39)	573 17.9	542 17.0	245 7.7	297 9.3	30 .9
Bacterial sepsis of newborn (P36)	469 14.7	453 14.2	214 6.7	238 7.5	16 *
Omphalitis of newborn with or without mild hemorrhage (P38)	2 *	2 *	- -	2 *	- -
All other infections specific to the perinatal period (P35,P37,P39)	102 3.2	88 2.7	31 1.0	57 1.8	14 *
Hemorrhagic and hematological disorders of newborn (P50-P61)	467 14.6	455 14.3	332 10.4	123 3.8	12 *
Neonatal hemorrhage (P50-P52,P54)	384 12.0	374 11.7	273 8.6	101 3.1	10 *
Hemorrhagic disease of newborn (P53)	- -	- -	- -	- -	- -
Hemolytic disease of newborn due to isoimmunization and other perinatal jaundice (P55-P59)	14 *	12 *	11 *	1 *	2 *

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
WHITE					
Hematologic disorders (P60-P61)	69 2.2	69 2.2	48 1.5	21 .7	- -
Syndrome of infant of a diabetic mother and neonatal diabetes mellitus (P70.0-P70.2)	6 *	5 *	5 *	- -	1 *
Necrotizing enterocolitis of newborn (P77)	199 6.2	172 5.4	18 *	154 4.8	26 .8
Hydrops fetalis not due to hemolytic disease (P83.2)	137 4.3	132 4.1	111 3.5	21 .7	5 *
Other perinatal conditions (P29,P70.3-P70.9,P71-P76,P78-P81, P83.0-P83.1,P83.3-P83.9,P90-P96)	801 25.1	772 24.2	605 18.9	167 5.2	28 .9
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	4,425 138.5	3,277 102.6	2,510 78.6	767 24.0	1,148 35.9
Anencephaly and similar malformations (Q00)	273 8.5	267 8.4	259 8.1	8 *	6 *
Congenital hydrocephalus (Q03)	73 2.3	47 1.5	36 1.1	11 *	26 .8
Spina bifida (Q05)	23 .7	17 *	15 *	2 *	6 *
Other congenital malformations of nervous system (Q01-Q02,Q04, Q06-Q07)	234 7.3	139 4.4	102 3.2	37 1.2	95 3.0
Congenital malformations of heart (Q20-Q24)	1,261 39.5	745 23.3	367 11.5	377 11.8	516 16.2
Other congenital malformations of circulatory system (Q25-Q28)	152 4.8	101 3.2	52 1.6	49 1.5	51 1.6
Congenital malformations of respiratory system (Q30-Q34)	505 15.8	460 14.4	428 13.4	32 1.0	45 1.4

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS.
RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
WHITE					
Congenital malformations of digestive system (Q35-Q45)	56 1.7	23 .7	14 *	9 *	32 1.0
Congenital malformations of genitourinary system (Q50-Q64)	268 8.4	255 8.0	248 7.8	7 *	13 *
Congenital malformations and deformations of musculoskeletal system, limbs and integument (Q65-Q85)	344 10.8	260 8.1	199 6.2	61 1.9	84 2.6
Down's syndrome (Q90)	71 2.2	47 1.5	38 1.2	9 *	24 .8
Edward's syndrome (Q91.0-Q91.3)	358 11.2	269 8.4	216 6.8	53 1.7	89 2.8
Patau's syndrome (Q91.4-Q91.7)	229 7.2	196 6.1	159 5.0	37 1.2	33 1.0
Other congenital malformations and deformations (Q10-Q18,Q86-Q89)	456 14.3	359 11.2	308 9.6	51 1.6	97 3.0
Other chromosomal abnormalities, not elsewhere classified (Q92-Q99)	121 3.8	92 2.9	70 2.2	21 .7	29 .9
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	2,349 73.5	278 8.7	102 3.2	176 5.5	2,070 64.8
Sudden infant death syndrome (R95)	1,653 51.8	126 3.9	17 *	109 3.4	1,527 47.8
Other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94,R96-R99)	695 21.8	152 4.8	85 2.7	68 2.1	543 17.0
All other diseases (Residual)	18 *	10 *	5 *	5 *	8 *

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
WHITE					
External causes of mortality (V01-Y84)	823 25.8	79 2.5	34 1.1	44 1.4	744 23.3
Accidents (unintentional injuries) (V01-X59)	576 18.0	56 1.7	18 *	37 1.2	521 16.3
Transport accidents (V01-V99)	124 3.9	12 *	7 *	5 *	112 3.5
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14, V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1, V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0-V89.2)	118 3.7	12 *	7 *	5 *	106 3.3
Other and unspecified transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3, V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9, V87.9,V88.9,V89.1,V89.3,V89.9,V90-V99)	6 *	- -	- -	- -	6 *
Falls (W00-W19)	5 *	- -	- -	- -	5 *
Accidental discharge of firearms (W32-W34)	1 *	- -	- -	- -	1 *
Accidental drowning and submersion (W65-W74)	48 1.5	1 *	- -	1 *	47 1.5
Accidental suffocation and strangulation in bed (W75)	163 5.1	21 .7	2 *	19 *	141 4.4
Other accidental suffocation and strangulation (W76-W77,W81-W84)	118 3.7	9 *	5 *	4 *	109 3.4
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)	52 1.6	3 *	1 *	2 *	49 1.5

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS.
RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
WHITE					
Accidents caused by exposure to smoke fire and flames (X00-X99)	22 .7	- -	- -	- -	22 .7
Accidental poisoning and exposure to noxious substances (X40-X49)	10 *	2 *	- -	2 *	8 *
Other and unspecified accidents (W20-W31,W35-W64,W85-W99,X10-X39 X50-X59)	32 1.0	7 *	3 *	4 *	25 .8
Assault (homicide) (X85-Y09)	193 6.0	15 *	12 *	3 *	178 5.6
Assault (homicide) by hanging, strangulation and suffocation (X91)	14 *	3 *	3 *	- -	11 *
Assault (homicide) by discharge of firearms (X93-X95)	5 *	1 *	1 *	- -	4 *
Neglect, abandonment and other maltreatment syndromes (Y06-Y07)	77 2.4	3 *	2 *	1 *	74 2.3
Assault (homicide) by other and unspecified means (X85-X90,X92,X96-X99,Y00-Y05,Y08-Y09)	97 3.0	8 *	6 *	2 *	89 2.8
Complications of medical and surgical care (Y40-Y84)	13 *	5 *	2 *	3 *	8 *
Other external causes (X60-X84,Y10-Y36)	41 1.3	3 *	2 *	1 *	38 1.2

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS.
RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
BLACK					
All causes	8,391 1347.7	5,684 912.9	4,582 735.9	1,102 176.9	2,707 434.8
Certain infectious and parasitic diseases (A00-B99)	172 27.7	17 *	4 *	13 *	155 24.9
Certain intestinal infectious diseases (A00-A08)	5 *	- -	- -	- -	5 *
Diarrhea and gastroenteritis of presumed infectious origin (A09)	1 *	- -	- -	- -	1 *
Tuberculosis (A16-A19)	- -	- -	- -	- -	- -
Tetanus (A33-A35)	- -	- -	- -	- -	- -
Diphtheria (A36)	- -	- -	- -	- -	- -
Whooping cough (A37)	1 *	- -	- -	- -	1 *
Meningococcal infection (A39)	2 *	- -	- -	- -	2 *
Septicemia (A40-A41)	94 15.0	1 *	1 *	- -	93 14.9
Congenital syphilis (A50)	1 *	1 *	1 *	- -	- -
Gonococcal infection A(54)	- -	- -	- -	- -	- -
Viral diseases (A80-B34)	41 6.7	12 *	2 *	10 *	29 4.7
Acute poliomyelitis (A80)	- -	- -	- -	- -	- -

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS.
RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
BLACK					
Varicella (chickenpox) (B01)	- -	- -	- -	- -	- -
Measles (B05)	- -	- -	- -	- -	- -
Human immunodeficiency virus (HIV) disease (B20-B24)	8 *	1 *	1 *	- -	7 *
Mumps (B26)	- -	- -	- -	- -	- -
Other and unspecified viral diseases (A81-B00,B02-B04,B06-B19, B25,B27-B34)	33 5.4	11 *	1 *	10 *	22 3.6
Candidiasis (B37)	12 *	- -	- -	- -	12 *
Malaria (B50-B54)	- -	- -	- -	- -	- -
Pneumocystosis(B59)	2 *	- -	- -	- -	2 *
All other and unspecified infectious and parasitic diseases (A20-A32,A38,A42-A49,A51-A53,A55-A79,B35-B36,B38-B49,B55-B58, B60-B99)	13 *	3 *	- -	3 *	10 *
Neoplasms (C00-D48)	17 *	5 *	4 *	1 *	12 *
Malignant neoplasms (C00-C97)	8 *	3 *	3 *	- -	5 *
Hodgkin's disease and non-Hodgkin's lymphomas (C81-C85)	1 *	1 *	1 *	- -	- -
Leukemia (C91-C95)	- -	- -	- -	- -	- -

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS.
RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
BLACK					
Other and unspecified malignant neoplasms (C00-C80,C88,C90,C96-C97)	7 *	2 *	2 *	- -	5 *
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	9 *	2 *	1 *	1 *	7 *
Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)	13 *	2 *	- -	2 *	11 *
Anemias (D50-D64)	3 *	- -	- -	- -	3 *
Hemorrhagic conditions and other diseases of blood and blood-forming organs (D65-D76)	7 *	1 *	- -	1 *	6 *
Certain disorders involving the immune mechanism (D80-D89)	3 *	1 *	- -	1 *	2 *
Endocrine, nutritional and metabolic diseases (E00-E88)	48 7.8	19 *	14 *	5 *	29 4.7
Short stature, not elsewhere classified (E34.3)	6 *	5 *	4 *	1 *	1 *
Nutritional deficiencies(E40-E64)	4 *	- -	- -	- -	4 *
Cystic fibrosis (E84)	- -	- -	- -	- -	- -
Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)	19 *	9 *	9 *	- -	10 *
All other endocrine, nutritional and metabolic diseases (E00-E32,E34.0-E34.2,E34.4-E34.9,E65-E83,E85,E88)	19 *	5 *	1 *	4 *	14 *

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
BLACK					
Diseases of the nervous system (G00-G98)	80 12.8	10 *	4 *	6 *	70 11.2
Meningitis (G00,G03)	33 5.4	2 *	- -	2 *	31 5.0
Infantile spinal muscular atrophy, type I (Werdnig-Hoffman) (G12.0)	2 *	- -	- -	- -	2 *
Infantile cerebral palsy (G80)	1 *	- -	- -	- -	1 *
Anoxic brain damage, not elsewhere classified (G93.1)	8 *	- -	- -	- -	8 *
Other diseases of nervous system (G04,G06-G11,G12.1-G12.9,G20-G72 G81-G92,G93.0,G93.2-G93.9,G95-G98)	35 5.7	8 *	4 *	4 *	27 4.4
Diseases of the ear and mastoid process (H60-H93)	3 *	1 *	1 *	- -	2 *
Diseases of the circulatory system (I00-I99)	166 26.7	57 9.1	25 4.1	31 5.0	110 17.6
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)	49 7.9	30 4.9	12 *	18 *	19 *
Pericarditis, endocarditis and myocarditis (I30,I33,I40)	8 *	1 *	- -	1 *	7 *
Cardiomyopathy (I42)	21 3.4	6 *	2 *	4 *	15 *
Cardiac arrest (I46)	6 *	- -	- -	- -	6 *
Cerebrovascular diseases (I60-I69)	40 6.5	5 *	4 *	1 *	35 5.6

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS.
RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
BLACK					
All other diseases of circulatory system (I00-I25,I31,I34-I38, I44-I45,I47-I51,I70-I99)	42 6.7	14 *	7 *	7 *	27 4.4
Diseases of the respiratory system (J00-J98)	218 35.0	20 3.3	7 *	13 *	197 31.7
Acute upper respiratory infections (J00-J06)	1 *	- -	- -	- -	1 *
Influenza and pneumonia (J10-J18)	99 15.9	9 *	1 *	8 *	90 14.4
Influenza (J10-J11)	1 *	- -	- -	- -	1 *
Pneumonia (J12-J18)	98 15.7	9 *	1 *	8 *	89 14.2
Acute bronchitis and acute bronchiolitis (J20-J21)	11 *	- -	- -	- -	11 *
Bronchitis, chronic and unspecified (J40-J42)	7 *	- -	- -	- -	7 *
Asthma (J45-J46)	3 *	- -	- -	- -	3 *
Pneumonitis due to solids and liquids (J69)	1 *	- -	- -	- -	1 *
Other and unspecified diseases of respiratory system (J22,J30-J39, J43-J44,J47-J68,J70-J98)	96 15.4	11 *	6 *	5 *	85 13.6
Diseases of the digestive system (K00-K92)	180 28.9	27 4.4	6 *	21 3.4	153 24.6
Gastritis, duodenitis, and noninfective enteritis and colitis (K29,K50-K55)	104 16.7	8 *	- -	8 *	96 15.4

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
BLACK					
Hernia of abdominal cavity and intestinal obstruction without hernia (K40-K46, K56)	15 *	4 *	4 *	- -	11 *
All other and unspecified diseases of digestive sytem (K00-K28, K30-K38,K57-K92)	61 9.8	15 *	2 *	13 *	46 7.4
Diseases of the genitourinary system (N00-N98)	73 11.8	44 7.1	18 *	26 4.2	29 4.7
Renal failure and other disorders of kidney (N17-N19,N25,N27)	63 10.2	40 6.5	15 *	25 4.0	23 3.7
Other and unspecified diseases of genitourianry system (N00-N15, N20-N23,N26,N28-N98)	10 *	4 *	3 *	1 *	6 *
Certain conditions originating in the perinatal period (P00-P96)	4,855 779.7	4,589 737.0	3,908 627.6	681 109.4	266 42.7
Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)	875 140.5	860 138.1	834 133.9	26 4.2	15 *
Newborn affected by maternal hypertensive disorders (P00.0)	20 3.3	20 3.3	18 *	2 *	- -
Newborn affected by other maternal conditions which may be unrelated to present pregnancy (P00.1-P00.9)	22 3.6	19 *	16 *	3 *	3 *
Newborn affected by maternal complications of pregnancy (P01)	501 80.5	496 79.6	489 78.5	7 *	5 *
Newborn affected by incompetent cervix (P01.0)	159 25.5	158 25.3	157 25.2	1 *	1 *
Newborn affected by premature rupture of membranes (P01.1)	230 36.9	229 36.7	224 35.9	5 *	1 *

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
BLACK					
Newborn affected by multiple pregnancy (P01.5)	52 8.3	49 7.9	49 7.9	- -	2 *
Newborn affected by other maternal complications of pregnancy (P01.2-P01.4,P01.6-P01.9)	61 9.8	60 9.6	59 9.4	1 *	1 *
Newborn affected by complications of placenta, cord and membranes (P02)	284 45.6	278 44.6	267 42.8	11 *	6 *
Newborn affected by complications involving placenta (P02.0-P02.3)	115 18.5	112 18.0	108 17.4	4 *	3 *
Newborn affected by complications involving cord (P02.4-P02.6)	11 *	10 *	8 *	2 *	1 *
Newborn affected by chorioamnionitis (P02.7)	156 25.1	154 24.8	149 24.0	5 *	2 *
Newborn affected by other and unspecified abnormalities of membranes (P02.8-P02.9)	1 *	1 *	1 *	- -	- -
Newborn affected by other complications of labor and delivery (P03)	29 4.7	29 4.7	27 4.4	2 *	- -
Newborn affected by noxious influences transmitted via placenta or breast milk (P04)	18 *	17 *	16 *	1 *	1 *
Disorders related to length of gestation and fetal malnutrition (P05-P08)	1,841 295.7	1,811 290.9	1,768 283.9	43 7.0	30 4.8
Slow fetal growth and fetal malnutrition (P05)	12 *	11 *	10 *	1 *	1 *

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
BLACK					
Disorders related to short gestation and low birth weight, not elsewhere classified (P07)	1,828 293.6	1,799 288.9	1,757 282.1	42 6.8	29 4.7
Extremely low birth weight or extreme immaturity (P07.0,P07.2)	1,411 226.7	1,396 224.2	1,365 219.2	31 5.0	15 *
Other low birth weight or preterm (P07.1,P07.3)	417 66.9	403 64.7	392 62.9	11 *	14 *
Disorders related to long gestation and high birth weight (P08)	1 *	1 *	1 *	- -	- -
Birth trauma (P10-P15)	8 *	4 *	2 *	2 *	4 *
Intrauterine hypoxia and birth asphyxia (P20-P21)	149 24.0	137 22.1	97 15.6	40 6.5	12 *
Intrauterine hypoxia (P20)	26 4.2	24 3.9	16 *	8 *	2 *
Birth asphyxia (P21)	123 19.8	113 18.2	81 13.0	32 5.2	10 *
Respiratory distress of newborn (P22)	342 55.0	324 52.1	260 41.7	64 10.3	18 *
Other respiratory conditions originating in the perinatal period (P23-P28)	502 80.6	383 61.5	286 46.0	97 15.5	119 19.1
Congenital pneumonia (P23)	34 5.5	30 4.9	11 *	19 *	4 *
Neonatal aspiration syndromes (P24)	20 3.3	19 *	16 *	3 *	1 *
Interstitial emphysema and related conditons originating in the perinatal period (P25)	79 12.7	78 12.5	49 7.9	29 4.7	1 *

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
BLACK					
Pulmonary hemorrhage originating in the perinatal period (P26)	96 15.4	94 15.1	73 11.7	21 3.4	2 *
Chronic respiratory disease originating in the perinatal period (P27)	115 18.5	12 *	2 *	10 *	103 16.5
Atelectasis (P28.0-P28.1)	131 21.0	127 20.4	116 18.6	11 *	4 *
All other respiratory conditions originating in the perinatal period (P28.2-P28.9)	26 4.2	22 3.6	19 *	3 *	4 *
Infections specific to the perinatal period (P35-P39)	317 50.9	296 47.5	121 19.4	175 28.1	21 3.4
Bacterial sepsis of newborn (P36)	271 43.6	256 41.2	108 17.3	149 23.9	15 *
Omphalitis of newborn with or without mild hemorrhage (P38)	- -	- -	- -	- -	- -
All other infections specific to the perinatal period (P35,P37,P39)	45 7.3	39 6.3	13 *	26 4.2	6 *
Hemorrhagic and hematological disorders of newborn (P50-P61)	200 32.2	195 31.3	118 18.9	77 12.4	5 *
Neonatal hemorrhage (P50-P52,P54)	164 26.3	159 25.5	102 16.4	56 9.0	5 *
Hemorrhagic disease of newborn (P53)	1 *	1 *	- -	1 *	- -
Hemolytic disease of newborn due to isoimmunization and other perinatal jaundice (P55-P59)	3 *	3 *	3 *	- -	- -

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
BLACK					
Hemotologic disorders (P60-P61)	32 5.2	32 5.2	12 *	20 3.2	- -
Syndrome of infant of a diabetic mother and neonatal diabetes mellitus (P70.0-P70.2)	3 *	3 *	2 *	1 *	- -
Necrotizing enterocolitis of newborn (P77)	157 25.3	130 20.9	22 3.6	108 17.3	27 4.4
Hydrops fetalis not due to hemolytic disease (P83.2)	13 *	13 *	11 *	2 *	- -
Other perinatal conditions (P29,P70.3-P70.9,P71-P76,P78-P81, P83.0-P83.1,P83.3-P83.9,P90-P96)	446 71.7	432 69.5	387 62.2	45 7.3	14 *
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	1,040 167.0	685 110.0	513 82.4	172 27.6	355 57.0
Anencephaly and similar malformations (Q00)	33 5.4	32 5.2	30 4.9	2 *	1 *
Congenital hydrocephalus (Q03)	20 3.2	9 *	7 *	2 *	11 *
Spina bifida (Q05)	2 *	1 *	1 *	- -	1 *
Other congenital malformations of nervous system (Q01-Q02,Q04, Q06-Q07)	64 10.2	37 6.0	29 4.7	8 *	26 4.2
Congenital malformations of heart (Q20-Q24)	294 47.2	147 23.7	70 11.2	78 12.5	146 23.5
Other congenital malformations of circulatory system (Q25-Q28)	45 7.3	26 4.2	15 *	11 *	19 *
Congenital malformations of respiratory system (Q30-Q34)	153 24.5	140 22.4	129 20.8	10 *	13 *

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS.
RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
BLACK					
Congenital malformations of digestive system (Q35-Q45)	20 3.2	4 *	2 *	2 *	16 *
Congenital malformations of genitourinary system (Q50-Q64)	48 7.7	44 7.1	40 6.4	4 *	4 *
Congenital malformations and deformations of musculoskeletal system, limbs and integument (Q65-Q85)	82 13.2	61 9.7	45 7.2	16 *	21 3.4
Down's syndrome (Q90)	16 *	7 *	7 *	- -	9 *
Edward's syndrome (Q91.0-Q91.3)	92 14.7	53 8.6	31 5.0	22 3.5	38 6.1
Patau's syndrome (Q91.4-Q91.7)	51 8.1	40 6.5	30 4.9	10 *	10 *
Other congenital malformations and deformations (Q10-Q18,Q86-Q89)	96 15.4	65 10.4	61 9.7	4 *	31 5.0
Other chromosomal abnormalities, not elsewhere classified (Q92-Q99)	24 3.9	17 *	14 *	3 *	7 *
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	1,111 178.4	152 24.5	55 8.8	98 15.7	958 153.9
Sudden infant death syndrome (R95)	760 122.1	67 10.8	10 *	57 9.2	693 111.3
Other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94,R96-R99)	350 56.2	85 13.6	44 7.1	40 6.5	265 42.6
All other diseases (Residual)	11 *	8 *	7 *	1 *	3 *

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
BLACK					
External causes of mortality (V01-Y84)	403 64.8	46 7.4	15 *	31 5.0	357 57.3
Accidents (unintentional injuries) (V01-X59)	254 40.8	32 5.2	10 *	22 3.6	222 35.6
Transport accidents (V01-V99)	34 5.5	3 *	1 *	2 *	31 5.0
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14, V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-v81.1, V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0-V89.2)	34 5.5	3 *	1 *	2 *	31 5.0
Other and unspecified transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3, V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9, V87.9,V88.9,V89.1,V89.3,V89.9,V90-V99)	- -	- -	- -	- -	- -
Falls (W00-W19)	2 *	- -	- -	- -	2 *
Accidental discharge of firearms (W32-W34)	- -	- -	- -	- -	- -
Accidental drowning and submersion (W65-W74)	25 4.1	- -	- -	- -	25 4.1
Accidental suffocation and strangulation in bed (W75)	91 14.6	16 *	3 *	13 *	75 12.0
Other accidental suffocation and strangulation (W76-W77,W81-W84)	53 8.6	8 *	3 *	5 *	45 7.3
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)	20 3.2	2 *	1 *	1 *	18 *

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
BLACK					
Accidents caused by exposure to smoke fire and flames (X00-X99)	13 *	- -	- -	- -	13 *
Accidental poisoning and exposure to noxious substances (X40-X49)	3 *	- -	- -	- -	3 *
Other and unspecified accidents (W20-W31,W35-W64,W85-W99,X10-X39 X50-X59)	12 *	3 *	2 *	1 *	9 *
Assault (homicide) (X85-Y09)	130 20.9	12 *	5 *	7 *	118 18.9
Assault (homicide) by hanging, strangulation and suffocation (X91)	6 *	2 *	- -	2 *	4 *
Assault (homicide) by discharge of firearms (X93-X95)	7 *	- -	- -	- -	7 *
Neglect, abandonment and other maltreatment syndromes (Y06-Y07)	45 7.3	7 *	3 *	4 *	38 6.1
Assault (homicide) by other and unspecified means (X85-X90,X92,X96-X99,Y00-Y05,Y08-Y09)	72 11.5	3 *	2 *	1 *	69 11.0
Complications of medical and surgical care (Y40-Y84)	5 *	2 *	- -	2 *	3 *
Other external causes (X60-X84,Y10-Y36)	14 *	- -	- -	- -	14 *

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS.
RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
AMERICAN INDIAN					
All causes	346 831.2	183 438.7	143 343.7	40 95.0	164 392.4
Certain infectious and parasitic diseases (A00-B99)	5 *	1 *	- -	1 *	4 *
Certain intestinal infectious diseases (A00-A08)	- -	- -	- -	- -	- -
Diarrhea and gastroenteritis of presumed infectious origin (A09)	- -	- -	- -	- -	- -
Tuberculosis (A16-A19)	- -	- -	- -	- -	- -
Tetanus (A33-A35)	- -	- -	- -	- -	- -
Diphtheria (A36)	- -	- -	- -	- -	- -
Whooping cough (A37)	- -	- -	- -	- -	- -
Meningococcal infection (A39)	1 *	- -	- -	- -	1 *
Septicemia (A40-A41)	2 *	- -	- -	- -	2 *
Congenital syphilis (A50)	- -	- -	- -	- -	- -
Gonococcal infection A(54)	- -	- -	- -	- -	- -
Viral diseases (A80-B34)	1 *	1 *	- -	1 *	- -
Acute poliomyelitis (A80)	- -	- -	- -	- -	- -

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
AMERICAN INDIAN					
Varicella (chickenpox) (B01)	-	-	-	-	-
	-	-	-	-	-
Measles (B05)	-	-	-	-	-
	-	-	-	-	-
Human immunodeficiency virus (HIV) disease (B20-B24)	-	-	-	-	-
	-	-	-	-	-
Mumps (B26)	-	-	-	-	-
	-	-	-	-	-
Other and unspecified viral diseases (A81-B00,B02-B04,B06-B19, B25,B27-B34)	1 *	1 *	- -	1 *	- -
Candidiasis (B37)	-	-	-	-	-
	-	-	-	-	-
Malaria (B50-B54)	-	-	-	-	-
	-	-	-	-	-
Pneumocystosis(B59)	-	-	-	-	-
	-	-	-	-	-
All other and unspecified infectious and parasitic diseases (A20-A32,A38,A42-A49,A51-A53,A55-A79,B35-B36,B38-B49,B55-B58, B60-B99)	1 *	- -	- -	- -	1 *
Neoplasms (C00-D48)	2 *	- -	- -	- -	2 *
Malignant neoplasms (C00-C97)	2 *	- -	- -	- -	2 *
Hodgkin's disease and non-Hodgkin's lymphomas (C81-C85)	- -	- -	- -	- -	- -
Leukemia (C91-C95)	1 *	- -	- -	- -	1 *

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
AMERICAN INDIAN					
Other and unspecified malignant neoplasms (C00-C80,C88,C90,C96-C97)	1 *	- -	- -	- -	1 *
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	- -	- -	- -	- -	- -
Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)	2 *	- -	- -	- -	2 *
Anemias (D50-D64)	- -	- -	- -	- -	- -
Hemorrhagic conditions and other diseases of blood and blood-forming organs (D65-D76)	1 *	- -	- -	- -	1 *
Certain disorders involving the immune mechanism (D80-D89)	1 *	- -	- -	- -	1 *
Endocrine, nutritional and metabolic diseases (E00-E88)	10 *	2 *	2 *	- -	8 *
Short stature, not elsewhere classified (E34.3)	- -	- -	- -	- -	- -
Nutritional deficiencies(E40-E64)	1 *	- -	- -	- -	1 *
Cystic fibrosis (E84)	- -	- -	- -	- -	- -
Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)	7 *	2 *	2 *	- -	5 *
All other endocrine, nutritional and metabolic diseases (E00-E32,E34.0-E34.2,E34.4-E34.9,E65-E83,E85,E88)	2 *	- -	- -	- -	2 *

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS.
RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
AMERICAN INDIAN					
Diseases of the nervous system (G00-G98)	5 *	- -	- -	- -	5 *
Meningitis (G00,G03)	1 *	- -	- -	- -	1 *
Infantile spinal muscular atrophy, type I (Werdnig-Hoffman) (G12.0)	1 *	- -	- -	- -	1 *
Infantile cerebral palsy (G80)	- -	- -	- -	- -	- -
Anoxic brain damage, not elsewhere classified (G93.1)	1 *	- -	- -	- -	1 *
Other diseases of nervous system (G04,G06-G11,G12.1-G12.9,G20-G72 G81-G92,G93.0,G93.2-G93.9,G95-G98)	2 *	- -	- -	- -	2 *
Diseases of the ear and mastoid process (H60-H93)	- -	- -	- -	- -	- -
Diseases of the circulatory system (I00-I99)	7 *	4 *	3 *	1 *	3 *
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)	3 *	3 *	2 *	1 *	- -
Pericarditis, endocarditis and myocarditis (I30,I33,I40)	1 *	- -	- -	- -	1 *
Cardiomyopathy (I42)	1 *	- -	- -	- -	1 *
Cardiac arrest (I46)	- -	- -	- -	- -	- -
Cerebrovascular diseases (I60-I69)	- -	- -	- -	- -	- -

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS.
RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
AMERICAN INDIAN					
All other diseases of circulatory system (I00-I25,I31,I34-I38, I44-I45,I47-I51,I70-I99)	2 *	1 *	1 *	- -	1 *
Diseases of the respiratory system (J00-J98)	9 *	1 *	- -	1 *	8 *
Acute upper respiratory infections (J00-J06)	- -	- -	- -	- -	- -
Influenza and pneumonia (J10-J18)	7 *	1 *	- -	1 *	6 *
Influenza (J10-J11)	- -	- -	- -	- -	- -
Pneumonia (J12-J18)	7 *	1 *	- -	1 *	6 *
Acute bronchitis and acute bronchiolitis (J20-J21)	1 *	- -	- -	- -	1 *
Bronchitis, chronic and unspecified (J40-J42)	1 *	- -	- -	- -	1 *
Asthma (J45-J46)	- -	- -	- -	- -	- -
Pneumonitis due to solids and liquids (J69)	- -	- -	- -	- -	- -
Other and unspecified diseases of respiratory system (J22,J30-J39, J43-J44,J47-J68,J70-J98)	- -	- -	- -	- -	- -
Diseases of the digestive system (K00-K92)	5 *	1 *	- -	1 *	4 *
Gastritis, duodenitis, and noninfective enteritis and colitis (K29,K50-K55)	2 *	- -	- -	- -	2 *

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
AMERICAN INDIAN					
Hernia of abdominal cavity and intestinal obstruction without hernia (K40-K46, K56)	1 *	1 *	- -	1 *	- -
All other and unspecified diseases of digestive sytem (K00-K28, K30-K38,K57-K92)	2 *	- -	- -	- -	2 *
Diseases of the genitourinary system (N00-N98)	2 *	1 *	1 *	- -	1 *
Renal failure and other disorders of kidney (N17-N19,N25,N27)	1 *	- -	- -	- -	1 *
Other and unspecified diseases of genitourianry system (N00-N15, N20-N23,N26,N28-N98)	1 *	1 *	1 *	- -	- -
Certain conditions originating in the perinatal period (P00-P96)	135 323.1	128 308.2	106 254.6	22 53.6	6 *
Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)	19 *	19 *	18 *	1 *	- -
Newborn affected by maternal hypertensive disorders (P00.0)	1 *	1 *	- -	1 *	- -
Newborn affected by other maternal conditions which may be unrelated to present pregnancy (P00.1-P00.9)	- -	- -	- -	- -	- -
Newborn affected by maternal complications of pregnancy (P01)	6 *	6 *	6 *	- -	- -
Newborn affected by incompetent cervix (P01.0)	1 *	1 *	1 *	- -	- -
Newborn affected by premature rupture of membranes (P01.1)	5 *	5 *	5 *	- -	- -

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS.
RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
AMERICAN INDIAN					
Newborn affected by multiple pregnancy (P01.5)	-	-	-	-	-
	-	-	-	-	-
Newborn affected by other maternal complications of pregnancy (P01.2-P01.4,P01.6-P01.9)	-	-	-	-	-
	-	-	-	-	-
Newborn affected by complications of placenta, cord and membranes (P02)	12	12	12	-	-
	*	*	*	-	-
Newborn affected by complications involving placenta (P02.0-P02.3)	5	5	5	-	-
	*	*	*	-	-
Newborn affected by complications involving cord (P02.4-P02.6)	1	1	1	-	-
	*	*	*	-	-
Newborn affected by chorioamnionitis (P02.7)	6	6	6	-	-
	*	*	*	-	-
Newborn affected by other and unspecified abnormalities of membranes (P02.8-P02.9)	-	-	-	-	-
	-	-	-	-	-
Newborn affected by other complications of labor and delivery (P03)	-	-	-	-	-
	-	-	-	-	-
Newborn affected by noxious influences transmitted via placenta or breast milk (P04)	-	-	-	-	-
	-	-	-	-	-
Disorders related to length of gestation and fetal malnutrition (P05-P08)	48	46	42	4	2
	115.4	110.2	100.2	*	*
Slow fetal growth and fetal malnutrition (P05)	2	2	1	1	-
	*	*	*	*	-

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
AMERICAN INDIAN					
Disorders related to short gestation and low birth weight, not elsewhere classified (P07)	46 110.6	44 105.4	41 97.7	3 *	2 *
Extremely low birth weight or extreme immaturity (P07.0,P07.2)	34 80.6	33 78.0	32 75.6	1 *	1 *
Other low birth weight or preterm (P07.1,P07.3)	12 *	11 *	9 *	2 *	1 *
Disorders related to long gestation and high birth weight (P08)	- -	- -	- -	- -	- -
Birth trauma (P10-P15)	1 *	1 *	1 *	- -	- -
Intrauterine hypoxia and birth asphyxia (P20-P21)	8 *	7 *	6 *	1 *	1 *
Intrauterine hypoxia (P20)	- -	- -	- -	- -	- -
Birth asphyxia (P21)	8 *	7 *	6 *	1 *	1 *
Respiratory distress of newborn (P22)	6 *	5 *	4 *	1 *	1 *
Other respiratory conditions originating in the perinatal period (P23-P28)	15 *	14 *	11 *	3 *	1 *
Congenital pneumonia (P23)	1 *	1 *	1 *	- -	- -
Neonatal aspiration syndromes (P24)	1 *	1 *	1 *	- -	- -
Interstitial emphysema and related conditons originating in the perinatal period (P25)	3 *	3 *	1 *	2 *	- -

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
AMERICAN INDIAN					
Pulmonary hemorrhage originating in the perinatal period (P26)	2 *	2 *	1 *	1 *	- -
Chronic respiratory disease originating in the perinatal period (P27)	1 *	- -	- -	- -	1 *
Atelectasis (P28.0-P28.1)	7 *	7 *	7 *	- -	- -
All other respiratory conditions originating in the perinatal period (P28.2-P28.9)	- -	- -	- -	- -	- -
Infections specific to the perinatal period (P35-P39)	12 *	12 *	4 *	8 *	- -
Bacterial sepsis of newborn (P36)	10 *	10 *	4 *	6 *	- -
Omphalitis of newborn with or without mild hemorrhage (P38)	1 *	1 *	- -	1 *	- -
All other infections specific to the perinatal period (P35,P37,P39)	1 *	1 *	- -	1 *	- -
Hemorrhagic and hematological disorders of newborn (P50-P61)	6 *	6 *	5 *	1 *	- -
Neonatal hemorrhage (P50-P52,P54)	6 *	6 *	5 *	1 *	- -
Hemorrhagic disease of newborn (P53)	- -	- -	- -	- -	- -
Hemolytic disease of newborn due to isoimmunization and other perinatal jaundice (P55-P59)	- -	- -	- -	- -	- -

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS.
RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
AMERICAN INDIAN					
Hemotologic disorders (P60-P61)	- -	- -	- -	- -	- -
Syndrome of infant of a diabetic mother and neonatal diabetes mellitus (P70.0-P70.2)	- -	- -	- -	- -	- -
Necrotizing enterocolitis of newborn (P77)	3 *	3 *	1 *	2 *	- -
Hydrops fetalis not due to hemolytic disease (P83.2)	2 *	2 *	1 *	1 *	- -
Other perinatal conditions (P29,P70.3-P70.9,P71-P76,P78-P81, P83.0-P83.1,P83.3-P83.9,P90-P96)	13 *	12 *	12 *	- -	1 *
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	61 145.8	42 101.0	31 74.3	11 *	19 *
Anencephaly and similar malformations (Q00)	2 *	2 *	2 *	- -	- -
Congenital hydrocephalus (Q03)	- -	- -	- -	- -	- -
Spina bifida (Q05)	1 *	1 *	1 *	- -	- -
Other congenital malformations of nervous system (Q01-Q02,Q04, Q06-Q07)	2 *	2 *	1 *	1 *	- -
Congenital malformations of heart (Q20-Q24)	21 49.5	10 *	3 *	7 *	10 *
Other congenital malformations of circulatory system (Q25-Q28)	2 *	1 *	- -	1 *	1 *
Congenital malformations of respiratory system (Q30-Q34)	3 *	3 *	3 *	- -	- -

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS.
RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
AMERICAN INDIAN					
Congenital malformations of digestive system (Q35-Q45)	2 *	- -	- -	- -	2 *
Congenital malformations of genitourinary system (Q50-Q64)	7 *	6 *	6 *	- -	1 *
Congenital malformations and deformations of musculoskeletal system, limbs and integument (Q65-Q85)	5 *	4 *	3 *	1 *	1 *
Down's syndrome (Q90)	- -	- -	- -	- -	- -
Edward's syndrome (Q91.0-Q91.3)	4 *	3 *	2 *	1 *	1 *
Patau's syndrome (Q91.4-Q91.7)	3 *	3 *	3 *	- -	- -
Other congenital malformations and deformations (Q10-Q18,Q86-Q89)	7 *	5 *	5 *	- -	2 *
Other chromosomal abnormalities, not elsewhere classified (Q92-Q99)	1 *	1 *	1 *	- -	- -
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	68 163.4	2 *	- -	2 *	66 158.6
Sudden infant death syndrome (R95)	50 119.4	2 *	- -	2 *	48 114.6
Other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94,R96-R99)	18 *	- -	- -	- -	18 *
All other diseases (Residual)	- -	- -	- -	- -	- -

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS.
RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
AMERICAN INDIAN					
External causes of mortality (V01-Y84)	35 83.1	- -	- -	- -	35 83.1
Accidents (unintentional injuries) (V01-X59)	24 58.6	- -	- -	- -	24 58.6
Transport accidents (V01-V99)	6 *	- -	- -	- -	6 *
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14, V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1, V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0-V89.2)	6 *	- -	- -	- -	6 *
Other and unspecified transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3, V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9, V87.9,V88.9,V89.1,V89.3,V89.9,V90-V99)	- -	- -	- -	- -	- -
Falls (W00-W19)	1 *	- -	- -	- -	1 *
Accidental discharge of firearms (W32-W34)	- -	- -	- -	- -	- -
Accidental drowning and submersion (W65-W74)	3 *	- -	- -	- -	3 *
Accidental suffocation and strangulation in bed (W75)	6 *	- -	- -	- -	6 *
Other accidental suffocation and strangulation (W76-W77,W81-W84)	5 *	- -	- -	- -	5 *
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)	3 *	- -	- -	- -	3 *

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS.
RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
AMERICAN INDIAN					
Accidents caused by exposure to smoke fire and flames (X00-X99)	-	-	-	-	-
	-	-	-	-	-
Accidental poisoning and exposure to noxious substances (X40-X49)	-	-	-	-	-
	-	-	-	-	-
Other and unspecified accidents (W20-W31,W35-W64,W85-W99,X10-X39 X50-X59)	-	-	-	-	-
	-	-	-	-	-
Assault (homicide) (X85-Y09)	5	-	-	-	5
	*	-	-	-	*
Assault (homicide) by hanging, strangulation and suffocation (X91)	3	-	-	-	3
	*	-	-	-	*
Assault (homicide) by discharge of firearms (X93-X95)	-	-	-	-	-
	-	-	-	-	-
Neglect, abandonment and other maltreatment syndromes (Y06-Y07)	-	-	-	-	-
	-	-	-	-	-
Assault (homicide) by other and unspecified means (X85-X90,X92,X96-X99,Y00-Y05,Y08-Y09)	2	-	-	-	2
	*	-	-	-	*
Complications of medical and surgical care (Y40-Y84)	-	-	-	-	-
	-	-	-	-	-
Other external causes (X60-X84,Y10-Y36)	5	-	-	-	5
	*	-	-	-	*

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS.
RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
ASIAN/PACIFIC ISLANDER					
All causes	977 487.3	688 343.1	553 275.9	135 67.1	289 144.2
Certain infectious and parasitic diseases (A00-B99)	11 *	1 *	1 *	- -	10 *
Certain intestinal infectious diseases (A00-A08)	1 *	- -	- -	- -	1 *
Diarrhea and gastroenteritis of presumed infectious origin (A09)	- -	- -	- -	- -	- -
Tuberculosis (A16-A19)	- -	- -	- -	- -	- -
Tetanus (A33-A35)	- -	- -	- -	- -	- -
Diphtheria (A36)	- -	- -	- -	- -	- -
Whooping cough (A37)	- -	- -	- -	- -	- -
Meningococcal infection (A39)	- -	- -	- -	- -	- -
Septicemia (A40-A41)	6 *	- -	- -	- -	6 *
Congenital syphilis (A50)	- -	- -	- -	- -	- -
Gonococcal infection A(54)	- -	- -	- -	- -	- -
Viral diseases (A80-B34)	3 *	1 *	1 *	- -	2 *
Acute poliomyelitis (A80)	- -	- -	- -	- -	- -

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS.
RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
ASIAN/PACIFIC ISLANDER					
Varicella (chickenpox) (B01)	-	-	-	-	-
	-	-	-	-	-
Measles (B05)	-	-	-	-	-
	-	-	-	-	-
Human immunodeficiency virus (HIV) disease (B20-B24)	-	-	-	-	-
	-	-	-	-	-
Mumps (B26)	-	-	-	-	-
	-	-	-	-	-
Other and unspecified viral diseases (A81-B00,B02-B04,B06-B19, B25,B27-B34)	3 *	1 *	1 *	- -	2 *
Candidiasis (B37)	-	-	-	-	-
	-	-	-	-	-
Malaria (B50-B54)	-	-	-	-	-
	-	-	-	-	-
Pneumocystosis(B59)	-	-	-	-	-
	-	-	-	-	-
All other and unspecified infectious and parasitic diseases (A20-A32,A38,A42-A49,A51-A53,A55-A79,B35-B36,B38-B49,B55-B58, B60-B99)	1 *	- -	- -	- -	1 *
Neoplasms (C00-D48)	10 *	2 *	2 *	- -	8 *
Malignant neoplasms (C00-C97)	3 *	- -	- -	- -	3 *
Hodgkin's disease and non-Hodgkin's lymphomas (C81-C85)	- -	- -	- -	- -	- -
Leukemia (C91-C95)	1 *	- -	- -	- -	1 *

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
ASIAN/PACIFIC ISLANDER					
Other and unspecified malignant neoplasms (C00-C80,C88,C90,C96-C97)	2 *	- -	- -	- -	2 *
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	7 *	2 *	2 *	- -	5 *
Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)	3 *	1 *	1 *	- -	2 *
Anemias (D50-D64)	1 *	1 *	1 *	- -	- -
Hemorrhagic conditions and other diseases of blood and blood-forming organs (D65-D76)	- -	- -	- -	- -	- -
Certain disorders involving the immune mechanism (D80-D89)	2 *	- -	- -	- -	2 *
Endocrine, nutritional and metabolic diseases (E00-E88)	17 *	6 *	4 *	2 *	11 *
Short stature, not elsewhere classified (E34.3)	2 *	2 *	2 *	- -	- -
Nutritional deficiencies(E40-E64)	- -	- -	- -	- -	- -
Cystic fibrosis (E84)	- -	- -	- -	- -	- -
Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)	7 *	2 *	2 *	- -	5 *
All other endocrine, nutritional and metabolic diseases (E00-E32,E34.0-E34.2,E34.4-E34.9,E65-E83,E85,E88)	8 *	2 *	- -	2 *	6 *

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
ASIAN/PACIFIC ISLANDER					
Diseases of the nervous system (G00-G98)	17 *	1 *	- -	1 *	16 *
Meningitis (G00,G03)	1 *	- -	- -	- -	1 *
Infantile spinal muscular atrophy, type I (Werdnig-Hoffman) (G12.0)	1 *	- -	- -	- -	1 *
Infantile cerebral palsy (G80)	- -	- -	- -	- -	- -
Anoxic brain damage, not elsewhere classified (G93.1)	- -	- -	- -	- -	- -
Other diseases of nervous system (G04,G06-G11,G12.1-G12.9,G20-G72 G81-G92,G93.0,G93.2-G93.9,G95-G98)	15 *	1 *	- -	1 *	14 *
Diseases of the ear and mastoid process (H60-H93)	- -	- -	- -	- -	- -
Diseases of the circulatory system (I00-I99)	38 18.7	17 *	14 *	3 *	20 10.1
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)	13 *	11 *	9 *	2 *	2 *
Pericarditis, endocarditis and myocarditis (I30,I33,I40)	1 *	- -	- -	- -	1 *
Cardiomyopathy (I42)	6 *	2 *	2 *	- -	4 *
Cardiac arrest (I46)	- -	- -	- -	- -	- -
Cerebrovascular diseases (I60-I69)	8 *	1 *	1 *	- -	7 *

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
ASIAN/PACIFIC ISLANDER					
All other diseases of circulatory system (I00-I25,I31,I34-I38, I44-I45,I47-I51,I70-I99)	9 *	3 *	2 *	1 *	6 *
Diseases of the respiratory system (J00-J98)	18 *	4 *	2 *	2 *	14 *
Acute upper respiratory infections (J00-J06)	- -	- -	- -	- -	- -
Influenza and pneumonia (J10-J18)	10 *	2 *	1 *	1 *	8 *
Influenza (J10-J11)	- -	- -	- -	- -	- -
Pneumonia (J12-J18)	10 *	2 *	1 *	1 *	8 *
Acute bronchitis and acute bronchiolitis (J20-J21)	2 *	- -	- -	- -	2 *
Bronchitis, chronic and unspecified (J40-J42)	1 *	1 *	1 *	- -	- -
Asthma (J45-J46)	- -	- -	- -	- -	- -
Pneumonitis due to solids and liquids (J69)	- -	- -	- -	- -	- -
Other and unspecified diseases of respiratory system (J22,J30-J39, J43-J44,J47-J68,J70-J98)	5 *	1 *	- -	1 *	4 *
Diseases of the digestive system (K00-K92)	18 *	6 *	1 *	5 *	12 *
Gastritis, duodenitis, and noninfective enteritis and colitis (K29,K50-K55)	11 *	4 *	- -	4 *	7 *

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
ASIAN/PACIFIC ISLANDER					
Hernia of abdominal cavity and intestinal obstruction without hernia (K40-K46, K56)	3 *	1 *	1 *	- -	2 *
All other and unspecified diseases of digestive sytem (K00-K28, K30-K38,K57-K92)	4 *	1 *	- -	1 *	3 *
Diseases of the genitourinary system (N00-N98)	4 *	2 *	1 *	1 *	2 *
Renal failure and other disorders of kidney (N17-N19,N25,N27)	4 *	2 *	1 *	1 *	2 *
Other and unspecified diseases of genitourianry system (N00-N15, N20-N23,N26,N28-N98)	- -	- -	- -	- -	- -
Certain conditions originating in the perinatal period (P00-P96)	486 242.2	466 232.6	389 194.0	77 38.6	19 *
Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)	91 45.6	89 44.6	87 43.6	2 *	2 *
Newborn affected by maternal hypertensive disorders (P00.0)	1 *	- -	- -	- -	1 *
Newborn affected by other maternal conditions which may be unrelated to present pregnancy (P00.1-P00.9)	- -	- -	- -	- -	- -
Newborn affected by maternal complications of pregnancy (P01)	50 24.8	50 24.8	49 24.3	1 *	- -
Newborn affected by incompetent cervix (P01.0)	18 *	18 *	18 *	- -	- -
Newborn affected by premature rupture of membranes (P01.1)	19 *	19 *	19 *	- -	- -

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
ASIAN/PACIFIC ISLANDER					
Newborn affected by multiple pregnancy (P01.5)	10 *	10 *	10 *	- -	- -
Newborn affected by other maternal complications of pregnancy (P01.2-P01.4,P01.6-P01.9)	2 *	2 *	1 *	1 *	- -
Newborn affected by complications of placenta, cord and membranes (P02)	34 16.7	33 16.2	32 15.7	1 *	1 *
Newborn affected by complications involving placenta (P02.0-P02.3)	20 10.1	20 10.1	19 *	1 *	- -
Newborn affected by complications involving cord (P02.4-P02.6)	2 *	1 *	1 *	- -	1 *
Newborn affected by chorioamnionitis (P02.7)	11 *	11 *	11 *	- -	- -
Newborn affected by other and unspecified abnormalities of membranes (P02.8-P02.9)	- -	- -	- -	- -	- -
Newborn affected by other complications of labor and delivery (P03)	7 *	7 *	7 *	- -	- -
Newborn affected by noxious influences transmitted via placenta or breast milk (P04)	- -	- -	- -	- -	- -
Disorders related to length of gestation and fetal malnutrition (P05-P08)	149 74.4	148 73.9	143 71.4	5 *	1 *
Slow fetal growth and fetal malnutrition (P05)	7 *	6 *	3 *	3 *	1 *

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
ASIAN/PACIFIC ISLANDER					
Disorders related to short gestation and low birth weight, not elsewhere classified (P07)	141 70.4	141 70.4	139 69.3	2 *	- -
Extremely low birth weight or extreme immaturity (P07.0,P07.2)	106 53.1	106 53.1	104 52.0	2 *	- -
Other low birth weight or preterm (P07.1,P07.3)	35 17.3	35 17.3	35 17.3	- -	- -
Disorders related to long gestation and high birth weight (P08)	1 *	1 *	1 *	- -	- -
Birth trauma (P10-P15)	2 *	2 *	1 *	1 *	- -
Intrauterine hypoxia and birth asphyxia (P20-P21)	32 15.7	31 15.2	21 10.7	9 *	1 *
Intrauterine hypoxia (P20)	10 *	10 *	7 *	3 *	- -
Birth asphyxia (P21)	21 10.7	20 10.2	14 *	6 *	1 *
Respiratory distress of newborn (P22)	32 16.2	29 14.7	22 11.2	7 *	3 *
Other respiratory conditions originating in the perinatal period (P23-P28)	47 23.4	43 21.3	34 16.8	9 *	4 *
Congenital pneumonia (P23)	2 *	2 *	1 *	1 *	- -
Neonatal aspiration syndromes (P24)	3 *	2 *	2 *	- -	1 *
Interstitial emphysema and related conditons originating in the perinatal period (P25)	7 *	7 *	3 *	4 *	- -

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
ASIAN/PACIFIC ISLANDER					
Pulmonary hemorrhage originating in the perinatal period (P26)	13 *	13 *	12 *	1 *	- -
Chronic respiratory disease originating in the perinatal period (P27)	6 *	3 *	- -	3 *	3 *
Atelectasis (P28.0-P28.1)	12 *	12 *	12 *	- -	- -
All other respiratory conditions originating in the perinatal period (P28.2-P28.9)	3 *	3 *	3 *	- -	- -
Infections specific to the perinatal period (P35-P39)	28 14.2	26 13.2	12 *	14 *	2 *
Bacterial sepsis of newborn (P36)	23 11.6	22 11.1	10 *	12 *	1 *
Omphalitis of newborn with or without mild hemorrhage (P38)	- -	- -	- -	- -	- -
All other infections specific to the perinatal period (P35,P37,P39)	5 *	4 *	2 *	2 *	1 *
Hemorrhagic and hematological disorders of newborn (P50-P61)	31 15.2	31 15.2	26 12.7	5 *	- -
Neonatal hemorrhage (P50-P52,P54)	23 11.7	23 11.7	19 *	4 *	- -
Hemorrhagic disease of newborn (P53)	- -	- -	- -	- -	- -
Hemolytic disease of newborn due to isoimmunization and other perinatal jaundice (P55-P59)	- -	- -	- -	- -	- -

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
ASIAN/PACIFIC ISLANDER					
Hematologic disorders (P60-P61)	7 *	7 *	6 *	1 *	- -
Syndrome of infant of a diabetic mother and neonatal diabetes mellitus (P70.0-P70.2)	- -	- -	- -	- -	- -
Necrotizing enterocolitis of newborn (P77)	12 *	9 *	1 *	8 *	3 *
Hydrops fetalis not due to hemolytic disease (P83.2)	11 *	11 *	8 *	3 *	- -
Other perinatal conditions (P29,P70.3-P70.9,P71-P76,P78-P81, P83.0-P83.1,P83.3-P83.9,P90-P96)	50 24.8	47 23.3	33 16.2	14 *	3 *
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	231 115.4	166 82.6	131 65.1	35 17.5	66 32.8
Anencephaly and similar malformations (Q00)	17 *	17 *	16 *	1 *	- -
Congenital hydrocephalus (Q03)	2 *	1 *	1 *	- -	1 *
Spina bifida (Q05)	- -	- -	- -	- -	- -
Other congenital malformations of nervous system (Q01-Q02,Q04, Q06-Q07)	12 *	6 *	5 *	1 *	6 *
Congenital malformations of heart (Q20-Q24)	64 31.7	37 18.6	18 *	19 *	26 13.1
Other congenital malformations of circulatory system (Q25-Q28)	7 *	3 *	2 *	1 *	4 *
Congenital malformations of respiratory system (Q30-Q34)	33 16.3	31 15.3	31 15.3	- -	2 *

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS.
RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
ASIAN/PACIFIC ISLANDER					
Congenital malformations of digestive system (Q35-Q45)	3 *	- -	- -	- -	3 *
Congenital malformations of genitourinary system (Q50-Q64)	6 *	6 *	6 *	- -	- -
Congenital malformations and deformations of musculoskeletal system, limbs and integument (Q65-Q85)	17 *	9 *	9 *	- -	8 *
Down's syndrome (Q90)	4 *	3 *	3 *	- -	1 *
Edward's syndrome (Q91.0-Q91.3)	24 12.2	22 11.2	15 *	7 *	2 *
Patau's syndrome (Q91.4-Q91.7)	8 *	6 *	4 *	2 *	2 *
Other congenital malformations and deformations (Q10-Q18,Q86-Q89)	24 12.2	16 *	13 *	3 *	8 *
Other chromosomal abnormalities, not elsewhere classified (Q92-Q99)	9 *	7 *	6 *	1 *	2 *
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	91 45.4	10 *	7 *	3 *	81 40.4
Sudden infant death syndrome (R95)	59 29.3	3 *	2 *	1 *	56 27.8
Other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94,R96-R99)	32 16.2	7 *	5 *	2 *	25 12.6
All other diseases (Residual)	1 *	- -	- -	- -	1 *

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS. RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
ASIAN/PACIFIC ISLANDER					
External causes of mortality (V01-Y84)	31 15.6	5 *	- -	5 *	26 13.1
Accidents (unintentional injuries) (V01-X59)	21 10.6	4 *	- -	4 *	17 *
Transport accidents (V01-V99)	5 *	1 *	- -	1 *	4 *
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14, V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1, V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0-V89.2)	5 *	1 *	- -	1 *	4 *
Other and unspecified transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3, V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9, V87.9,V88.9,V89.1,V89.3,V89.9,V90-V99)	- -	- -	- -	- -	- -
Falls (W00-W19)	- -	- -	- -	- -	- -
Accidental discharge of firearms (W32-W34)	- -	- -	- -	- -	- -
Accidental drowning and submersion (W65-W74)	- -	- -	- -	- -	- -
Accidental suffocation and strangulation in bed (W75)	7 *	2 *	- -	2 *	5 *
Other accidental suffocation and strangulation (W76-W77,W81-W84)	5 *	- -	- -	- -	5 *
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)	1 *	- -	- -	- -	1 *

TABLE 45 LIVE BIRTHS BY RACE OF MOTHER; AND INFANT DEATHS, AND INFANT MORTALITY RATES BY RACE OF MOTHER AND 130 SELECTED CAUSES OF DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS. RATES ARE PER 100,000 LIVE BIRTHS.
RACE OF MOTHER IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

RACE OF MOTHER AND CAUSE OF DEATH	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
ASIAN/PACIFIC ISLANDER					
Accidents caused by exposure to smoke fire and flames (X00-X99)	1 *	- -	- -	- -	1 *
Accidental poisoning and exposure to noxious substances (X40-X49)	- -	- -	- -	- -	- -
Other and unspecified accidents (W20-W31,W35-W64,W85-W99,X10-X39 X50-X59)	2 *	1 *	- -	1 *	1 *
Assault (homicide) (X85-Y09)	7 *	1 *	- -	1 *	6 *
Assault (homicide) by hanging, strangulation and suffocation (X91)	- -	- -	- -	- -	- -
Assault (homicide) by discharge of firearms (X93-X95)	- -	- -	- -	- -	- -
Neglect, abandonment and other maltreatment syndromes (Y06-Y07)	3 *	1 *	- -	1 *	2 *
Assault (homicide) by other and unspecified means (X85-X90,X92,X96-X99,Y00-Y05,Y08-Y09)	4 *	- -	- -	- -	4 *
Complications of medical and surgical care (Y40-Y84)	- -	- -	- -	- -	- -
Other external causes (X60-X84,Y10-Y36)	3 *	- -	- -	- -	3 *

1/ INCLUDES RACES OTHER THAN WHITE AND BLACK